

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	)	
	:	Examiner: Y. Couso
Junichi HAYASHI, et al.	)	
	:	Group Art Unit: 2624
Appln. No.: 09/771,983	)	
	:	Confirmation No.: 9440
Filed: January 30, 2001	)	
	:	
For: IMAGE PROCESSING	)	
APPARATUS FOR DETERMINING	:	
SPECIFIC IMAGES	)	
	:	
U.S. Patent No.: 7,142,689 B2	)	
	:	
Issued: November 28, 2006	)	June 20, 2007

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

CERTIFICATE OF CORRECTION  
UNDER RULES 322 AND 323


Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form, in duplicate, is enclosed.

The \$100.00 statutory fee for such Certificate of Correction is being submitted electronically.

Patentees' undersigned attorney may be reached in our Washington, D.C. office by telephone at (202) 530-1010. All correspondence should continue to be directed to our address given below.

Respectfully submitted,

A handwritten signature in dark ink, appearing to read 'B. L. Klock', is written over a horizontal line.

Brian L. Klock  
Attorney for Patentees  
Registration No.: 36,570

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
Facsimile: (212) 218-2200

BLK:lew

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,142,689 B2  
DATED : November 28, 2006  
INVENTOR(S) : Junichi HAYASHI et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Front Cover:

Title (54), "APPARATUS" should read --METHOD--.

(56) References Cited, Other Publications,

After Lee: "Watermaking" should read --Watermarking--.

Page 2, Other Publications

After Fridrich, "Watermaking" should read --Watermarking--.

"Fridricj" should read --Fridrich--.

Col. 1, line 1, "APPARATUS" should read --METHOD--.

Col. 3, line 45, "is" should read --in--.

Col. 7, line 47, "{" should be deleted.

Col. 17, line 26, "m n" should read "m×n".

Col. 19, line 21, "bees" should read "been".

Col. 22, line 21, "and" should read "an".

Col. 32, line 27, delete "is", second occurrence.

Col. 32, line 29, "is output" should read "output is".

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,142,689 B2

No. of add'l. copies  
@ 30¢ per page

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,142,689 B2

DATED : November 28, 2006

INVENTOR(S) : Junichi HAYASHI et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 47, line 14, "a" should read -- $\sigma$ --.

Col. 49, line 32, "purposed" should read --purposes--.

Col. 58, line 44, "B={b1, b2, bN}," should read --B={b1, b2, . . . bN},--.

Col. 58, line 58, "dl" should read --d1--.

Col. 60, line 65, "a" should read -- $\sigma$ --.

Col. 61, line 16, "dl" should read --d1--.

Col. 61, line 54, "in", second occurrence, should read --In--.

Col. 64, line 46, "a" should read -- $\nabla$ a--.

Col. 66, line 1, "perfonns" should read --performs--.

FCHS\_WS 1425665v1

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO  
30 Rockefeller Plaza  
New York, New York 10112-3800  
(212) 218-2100 - Telephone  
(212) 218-2200 - Facsimile

PATENT NO. 7,142,689 B2

No. of add'l. copies  
@ 30¢ per page

